

^ DRYER PROGRAMS

No. of Dryer Programs	Dryer Programs	No. of Dryer Options	Dryer Options
22	AI Dry, Antibacterial, Blanket Refresh, Large Load Dry, Easy Ironing, Jeans, X Large Load Dry, Overnight Dry, Rack Dry, Quick Dry, Timed Dry, Towels, Wrinkle Prevention, Air Dry, Low Temp Dry, Perm. Press, Super Dry, Bedding, Delicates, Heavy Duty, Normal, Small Load	19	Additional Settings, WI-FI Connection, Cycle List Edit, Cycle Optimization, Low Static, Settings, Factory Reset, Signal, Smart Diagnosis, Language, Damp Signal, Drum Light, Dryness, Control Lock, Remote Start, Energy Saver, Temp., Time, Wrinkle Care
Drying Levels	Manual Dry Times	Temperature Settings	
Damp / Less / Normal / More / Very	10-20 / 30-40 / 50-60 / 70-80 / 90-100	Low / Med. Low / Normal / Med. High / High	

^ LAUNDRY APPLIANCE CAPACITY

Capacity			
7.3 cu ft			

^ SUMMARY

Product Color	Matching Washer	EasyLoad® Door	Dial-A-Cycle™
Matte Black (B)	WT8600CB	Yes	Yes
Series	Steam	Type	
LG	Yes	Rear Control Top Load Dryer	

^ ENERGY

CEF	ENERGY STAR® Certified		
3.49	Yes		
<p>^ FABRIC CARE FEATURES</p>			
AI Sensor Dry™	Precise Temperature Control with Variable Heat	Sensor Dry	
Yes	Yes	Yes	
<p>^ LAUNDRY APPLIANCE CONVENIENCE FEATURES</p>			
3 Minute Installation Check	4 Adjustable Legs	Control Lock	Drum Light
Yes	Yes	Yes	Yes
End of Cycle Signal	Wrinkle Care Option	Remaining Time Display/Status Indicator(s)	Reversible Door
Yes	Yes	Yes	Yes
FlowSense™ Duct Clogging Indicator	LoDecibel™ Quiet Operation	Vent Type	Venting Option
Yes	Yes	Vented	yes
<p>^ LAUNDRY APPLIANCE THINQ® SMART FEATURES</p>			
Energy Monitoring	NFC Tag On	Remote Start and Cycle Monitor	Smart Pairing
Yes	No	Yes	Yes
SmartDiagnosis™ (v3.0)	ThinQ Care™	Wifi	ThinQ UP™
Yes	Yes	Yes	Yes
<p>^ MATERIALS AND FINISHES</p>			

All Available Colors	Aluminized Alloy Steel Drum	Cabinet	Door / Rim
Matte Black (B)	No	Painted Steel	Glass / Black
Drum Rear	NeveRust™ Stainless Steel Drum		
Stainless Steel	Yes		

^ POWER SOURCE

Dryer Power Source Type	Dryer BTU Rating	Dryer Electrical Requirements	Ratings
Gas	Elec : N/A / Gas : 20,000	120V, 15 Amps (Gas) / 240V 30 Amps (Electric)	CSA Listed

^ OPTIONS/ACCESSORIES

LP Conversion Kit	Side Venting Kit		
383EEL3002R	383EEL9001B		

^ DIMENSIONS

Carton (WxHxD)	Product (WxHxD)	Weight (Carton)	Weight (Product)
29 1/8" x 45 1/2" x 31 1/2"	27" x 42 3/4" x 29 1/4" (50 1/2" D with door open)	127.9	123.5

^ WARRANTY & UPC

Drum	Parts and Labor	UPC	
3 Years	1 Year	195174062449	