

# MINERAL CORE

**Cattitude**  
vinyl plank



7203 Glogg

	US Units	Metric Units
<b>Style Number</b>	<b>3340V</b>	
<b>Construction</b>	Residential Resilient Mineral Core	
<b>Profile</b>	Fold-N-Tap	
<b>Size</b>	7" x 48"	17.78 cm x 121.92 cm
<b>Overall Thickness</b>	0.354"	9 mm
<b>Attached Underlayment</b>	Attached Pad	
<b>Attached Underlayment Thickness</b>	0.039"	1 mm
<b>Edge Description</b>	Accent Bevel	
<b>Area per Carton</b>	15.08 sq ft	1.4 sq m
<b>Area per Pallet</b>	904.8 sq ft	84.06 sq m
<b>Installation</b>	Floating	
<b>Installation Grade</b>	Above, On, Below	
<b>Embossed In Register</b>	Yes	
<b>FloorScore Certified</b>	Yes	
<b>Residential Warranty</b>	Lifetime <a href="#">Residential Resilient Limited Warranty - Defects, Wear, Waterproof, Petproof, Scratch</a> 30 Year Scratch	
<b>Commercial Warranty</b>	20 Year Light Commercial	
<b>Radiant Panel (ASTM E648)</b>	<a href="#">Passes, Class I</a>	

Test Reports may be included or listed by the manufacturing/inventory style number as opposed to the noted selling style number.

## Colors



## Coordinating Trim




**Baby Threshold\***

BT6NS | 94"



**T-Molding\***

TM6NS | 94"



**Multi-Purpose Reducer**

RD6NS | 94"



**Quarter Round**

QTRNS | 94"



**Flush Stairnose**

FS8NS | 94"

\*Packaged with molding track



CERTIFIED BY SCS Global Services