

48 inch All Gas Range, 6 Brass Burner and Griddle Master Series

\$ Websolute.BOM.FrontEnd.Core.Extensions.DocExtension+PrezzoAndShop



MAS486BTFGMXT

The new Bertazzoni ranges are superb cooking appliances designed, engineered and made in Italy. All Bertazzoni appliances integrate seamlessly into style-harmonized suites for a true, high-performing kitchen.

The high-efficiency maintop with 6 brass burners and electric griddle features 2 dual ring 19,000 BTU power-burners that boil water in under 6 minutes (best in class), and 4 additional MonoBloc burners of variable size and power to suit every style of cooking, with delicate simmer at 750 BTUs. The stainless steel griddle with integrated cover provides additional cooking options.

The 4.7 cubic feet main oven cavity is the largest in its class, with dual convection fan for balanced airflow and even temperature baking and roasting on 7 shelf levels. The elegant digital gauge gives precise control of oven temperature during pre-heating, roasting and baking, and has integrated controls for the food temperature probe. The extra wide infrared gas broiler is ideal for grilling and searing at high heat. The 2.4 cubic feet auxiliary oven is perfect for smaller dishes and for warming. Both ovens include convenient features such as smooth telescopic glides for the oven shelves and soft-close doors. The edge-to-edge interior oven glass door maximizes interior volume and can be wiped clean without effort.

Optional **Collezione Metalli** décor sets knobs and handles are available in contrasting metals - satin gold and black nickel to personalize these accent style elements on your range, as well as all refrigerators and dishwashers in your kitchen suite.

All Bertazzoni appliances are covered by a 2-year warranty.

This model is also available with LP gas connection.

[Guarda online](#)

Specifications

Features

Worktop

Size	48 in
Cooking zones	7
Number of gas zones	6 burners
Griddle zones	electric
Worktop type	electric / gas
Worktop design	stainless steel squared
Worktop controls	knobs
Knobs	solid metal
Burner type	brass
Grates	cast iron
Continous grating	yes
Thermocouple safety device	yes
One-hand ignition	yes
Backguard	yes
Wok ring	yes
Simmer ring	yes

Cooking zones

Power burners	1300 BTU/h - 19 000 BTU/h (2)
Rapid burner	2500 BTU/h - 10 400 BTU/h (1)
Medium burner	1500 BTU/h - 5900 BTU/h (2)
Simmer burner	750 BTU/h - 3500 BTU/h (1)
Griddle power	1100 W
Griddle dual control	yes
Griddle drip tray	yes

Oven cavity

Oven configuration	double
Oven fuel	gas

Oven type	gas conventional
Oven convection system	dual horizontal fans
Main oven type	fan assisted gas
Main oven broiler type	gas
Main oven functions	bake / broiler / convection bake / defrosting
Main oven volume	4.7 ft ³
Auxiliary oven type	gas conventional
Auxiliary oven broiler type	gas
Auxiliary oven functions	bake
Auxiliary oven volume	2.4 ft ³
Oven controls	knobs / thermometer
Inner oven door	triple
Removable inner glass	yes
Cooling fan	yes
Oven levels	7
Food probe	yes
Door hinges	soft-close
Sliding shelves	2 sets of telescopic guides
Wire-shelves	2 each cavity
Tray	1 baking tray with grill trivet
Grill trivet for tray	yes
Oven lights	double lateral
Bottom	
Legs	stainless steel
Technical specifications	
Absorbed current (A)	10 A with dedicated circuit
Electrical supply	110V 60 Hz - 1200W

Dimensions

FRONT VIEW

LEG DETAILS

