

^ DRYER PROGRAMS

No. of Dryer Programs	Dryer Programs	No. of Dryer Options	Dryer Options
23	AI Dry, Activewear, Blanket Refresh, Large Load Dry, Easy Ironing, Jeans, X Large Load Dry, Overnight Dry, Power Dry, Quick Dry, SteamFresh™, SteamSanitary™, Timed Dry, Towels, Air Dry, Low Temp Dry, Perm. Press, Super Dry, Bedding, Delicates, Heavy Duty, Normal, Small Load	12	Control Lock, Cycle Optimization, Damp Dry Signal, Cycle Edit List, Drum Light, Remote Start, Wi-Fi, Energy Saver, Reduce Static, Signal, TurboSteam®, Wrinkle Care
Drying Levels	Dry Modes	Manual Dry Times	Temperature Settings
Damp Dry, Less Dry, More Dry, Normal Dry, Very Dry	No	10 min ~ 100 min (10 min incremental)	High, Med High, Medium, Low, Ultra Low

^ LAUNDRY APPLIANCE CAPACITY

Dryer Capacity
7.4 cu.ft.

^ SUMMARY

Product Color	Matching Washer	Dial-A-Cycle™	Electric Dryer Option
Black Steel	WM6700HBA	Yes	DLEX6700B
Gas Dryer Option	Series	Steam	Touch Buttons
DLGX6701B	LG	Yes	Yes
Type of Display	LCD		

^ ENERGY

CEF	ENERGY STAR® Certified
3.49	Yes

^ FABRIC CARE FEATURES

AI Sensor Dry™	Precise Temperature Control with \	Sensor Dry	Steam Technology

^ LAUNDRY APPLIANCE CONVENIENCE FEATURES

3 Minute Installation Check	4 Adjustable Legs	Control Lock	Drum Light
Yes	Yes	Yes	Yes
End of Cycle Signal	Leveling Legs	Wrinkle Care Option	Remaining Time Display/Status Ind
Yes	Yes	Yes	Yes
Reversible Door	FlowSense™ Duct Clogging Indicat	LoDecibel™ Quiet Operation	Vent Type
Yes	Yes	Yes	Vented
Venting Option			
3 Way Venting			

^ LAUNDRY APPLIANCE THINQ® SMART FEATURES

ThinQ® Smart Technology	Cycle Monitoring and Notification	Energy Monitoring	Remote Start and Cycle Monitor
Yes	Yes	Yes	Yes
SmartDiagnosis™	SmartDiagnosis™ (v3.0)	ThinQ Care™	Wifi
Yes	Yes	Yes	Yes
ThinQ UP™			
Yes			

^ MATERIALS AND FINISHES

All Available Colors	Aluminized Alloy Steel Drum	Cabinet	Door / Rim
Black Steel (B)	No	Painted Steel	Tempered Glass Door
NeveRust™ Stainless Steel Drum	Transparent Door Glass		
Yes	Yes		

^ POWER SOURCE

Dryer Power Source Type	Dryer BTU Rating	Dryer Electrical Requirements	Ratings
Gas	20,000	120V, 60Hz, 11.5A	CSA Listed

^ OPTIONS/ACCESSORIES

LP Conversion Kit	Pedestal	Side Venting Kit	Stacking Kit
--------------------------	-----------------	-------------------------	---------------------

383EEL3002D

WDP6B

383EEL9001B

KSTK4

^ DIMENSIONS

Carton (WxHxD)	Depth with Door Open	Pedestal (WxHxD)	Product (WxHxD)
29" x 43 1/4" x 31 1/8"	51 3/8"	27" x 13 5/8" x 25 3/8" (43 7/8" D with door open)	27" x 39" x 29 3/4"
Weight (Carton)	Weight (Product)	Width	
145.7 lbs	134 lbs	27"	

^ WARRANTY & UPC

Drum	Parts and Labor	UPC
3 Years	1 Year	195174036983