

## KWT 6312 UGS

Built-under wine storage unit

for perfect enjoyment and timeless design with its Push2open and SommelierSet.



- Perfect design for handleless kitchens – Push2open
- Odorless refrigeration section thanks to Active AirClean filters
- Present the storage of your wine in the perfect light – LED lighting
- Optimum wine protection through UV filters in tinted glass front
- Perfect enjoyment of your wine with the SommelierSet

EAN: 4002515539705 / Material number: 10028650 / Old Material Number: 36631200USA

|  |                  |
|--|------------------|
| <b>Appliance category</b>  |                  |
| Wine storage unit  | •                |
| <b>Construction type</b>   |                  |
| Built-in   | •                |
| Built-in integrated  | •                |
| Built-in built-under   | •                |
| Door hinge side  | right            |
| Convertible hinging  | •                |
| Can be installed side-by-side                                      | •                |
| <b>Design</b>  |                  |
| Front color  | Glass door       |
| Wine compartment lighting  | LED illumination |
| <b>Control panel</b>   |                  |
| DynaCool   | •                |
| SoftClose door closing damper                                      | •                |
| Push2open  | •                |
| No. of wooden shelves  | 4                |
| Number of FlexiFrame wooden racks                                  | 3                |
| SommelierSet   | •                |
| Low-vibration storage  | •                |
| <b>Control</b>   |                  |
| Electronic temperature display and control                         | TouchControl     |
| Independent temperature control of fridge and freezer compartments | No               |
| No. of temperature zones   | 1                |
| Min. temperature setting range in °F (°C)                          | 5                |
| <b>Safety</b>  |                  |
| Lock function  | •                |
| Acoustic door alarm  | •                |
| Optical door alarm   | •                |
| <b>Technical data</b>  |                  |
| Niche width in inches (mm), min.                                   | 23 5/8 (600)     |
| Niche width in inches (mm), max.                                   | 23 5/8 (600)     |
| Niche height in inches (mm), min.                                  | 32 3/8 (820)     |
| Niche height in inches (mm), max.                                  | 34 3/8 (870)     |
| Niche depth in in.(mm)   | 22 7/8 (580)     |
| Appliance width in in.(mm)   | 23 5/8 (597)     |
| Appliance height in in.(mm)  | 32 3/8 (820)     |
| Appliance depth in in.(mm)   | 22 3/4 (577)     |
| Weight in lbs.(kg)   | 102 (46.0)       |
| Wine conditioning zone volume in cu. ft. (l)                       | 3.88 (110)       |
| Total usable capacity in cu. ft. (l)                               | 3.88 (110)       |
| 0.75 l Bordeaux bottle capacity (no. of bottles)                   | 46 bottles       |
| Storage time in case of fault in h                                 | 0                |
| Current consumption in milliampere (mA)                            | 1500             |
| Voltage in V   | 115              |
| Fuse rating in A   | 10               |
| Number of phases   | 1                |
| Frequency in Hz  | 60               |
| Wire length in ft (m)  | 7 (2.4)          |

KWT 6312 UGS

Built-under wine storage unit

for perfect enjoyment and timeless design with its Push2open and SommelierSet.

EAN: 4002515539705 / Material number: 10028650 / Old Material Number: 36631200USA



#### Accessories supplied


Active AirClean filter



## KWT 6312 UGS

Built-under wine storage unit

for perfect enjoyment and timeless design with its Push2open and SommelierSet.



KWT6312UGS, Interior dimensions (Installation drawings)