

^ DRYER PROGRAMS

No. of Dryer Programs	Dryer Programs	No. of Dryer Options	Dryer Options
8	AI Dry, Quick Dry, Timed Dry, Bedding, Delicates, Downloaded, Heavy Duty, Normal	13	Energy Saver, Less Time, More Time, Air Dry, Control Lock(3sec), Damp Signal, Dryness, Remote Start(3sec), Signal(3sec), Temp., Time, Wi-Fi(3sec), Winkle Care
Drying Levels	Manual Dry Times	Temperature Settings	
Damp / Less / Normal / More / Very	20/30/40//50/60min	Low / Med. Low / Normal / Med. High / High	

^ LAUNDRY APPLIANCE CAPACITY

Capacity			
7.3 cu ft			

^ SUMMARY

Product Color	Matching Washer	EasyLoad® Door	Dial-A-Cycle™
Matte Black (B)	WT8400CB / WT8405CB	Yes	Yes
Electronic Control Panel with LED Display	Series	Steam	Type
Yes	LG	No	Rear Control Top Load Dryer

^ ENERGY

CEF	ENERGY STAR® Certified		

^ FABRIC CARE FEATURES

<b>AI Sensor Dry™</b>	<b>Precise Temperature Control with Variable Heat</b>	<b>Sensor Dry</b>	<b>Steam Technology</b>
Yes	Yes	Yes	No

^ LAUNDRY APPLIANCE CONVENIENCE FEATURES

<b>3 Minute Installation Check</b>	<b>4 Adjustable Legs</b>	<b>Control Lock</b>	<b>Drum Light</b>
Yes	Yes	Yes	Yes
<b>End of Cycle Signal</b>	<b>Wrinkle Care Option</b>	<b>Remaining Time Display/Status Indicator(s)</b>	<b>Reversible Door</b>
Yes	Yes	Yes	Yes
<b>FlowSense™ Duct Clogging Indicator</b>	<b>LoDecibel™ Quiet Operation</b>	<b>Vent Type</b>	<b>Venting Option</b>
Yes	Yes	Vented	yes

^ LAUNDRY APPLIANCE THINQ® SMART FEATURES

<b>Energy Monitoring</b>	<b>NFC Tag On</b>	<b>Remote Start and Cycle Monitor</b>	<b>Smart Pairing</b>
Yes	No	Yes	Yes
<b>SmartDiagnosis™ (v3.0)</b>	<b>ThinQ Care™</b>	<b>Wifi</b>	<b>ThinQ UP™</b>
Yes	Yes	Yes	Yes

^ MATERIALS AND FINISHES

<b>All Available Colors</b>	<b>Aluminized Alloy Steel Drum</b>	<b>Cabinet</b>	<b>Door / Rim</b>
Matte Black (B) / Alpine White (W)	Yes	Painted Steel	Glass / Black

<b>Drum Rear</b>	<b>NeveRust™ Stainless Steel Drum</b>		
Stainless Steel	No		
<p>^ POWER SOURCE</p>			
<b>Dryer Power Source Type</b>	<b>Dryer BTU Rating</b>	<b>Dryer Electrical Requirements</b>	<b>Ratings</b>
Electric	Elec : N/A / Gas : 20,000	120V, 15 Amps (Gas) / 240V 30 Amps (Electric)	CSA Listed
<p>^ OPTIONS/ACCESSORIES</p>			
<b>LP Conversion Kit</b>	<b>Side Venting Kit</b>		
383EEL3002R	383EEL9001B		
<p>^ DIMENSIONS</p>			
<b>Carton (WxHxD)</b>	<b>Product (WxHxD)</b>	<b>Weight (Carton)</b>	<b>Weight (Product)</b>
29 1/8" x 45 1/2" x 31 1/2"	27" x 42 3/4" x 29 1/4" (50 1/2" D with door open)	123.5 lbs	116.8 lbs
<p>^ WARRANTY &amp; UPC</p>			
<b>Drum</b>	<b>Parts and Labor</b>	<b>UPC</b>	
3 Years	1 Year	195174075425	