



## 24" Dishwasher

Dishwasher

Available Products: FDHP4336AS

Available Colors: Stainless Steel

Version: 09/24

## Product Specifications

### Dishwasher

Detergent Dispenser	Yes
Filter Material	Stainless Steel
Filter Trap	Removable
Filtered Water	100 %
Hard Food Disposer or Filtration	Yes
Interior Light	No
Leak Detection System	Yes
Motor Speeds	Single-Speed
Place Setting Capacity	12
Rinse Aid Dispenser	Yes
Smart Soil Sensor	Yes
Lower Spray Arm	Bi-Beam
Middle Spray Arm	Bi-Beam
Status Indicator Floor Beam	No
Tub Color	Stainless Steel
Tub Design	Tall Tub
Tub Material	Hybrid
Wash Levels	3
Wash System	Direct Feed
Water Pressure	120 psi
Water Usage	3.2 Gallons

### Dishwasher Options

Automatic Door Open	Yes
Heated Dry	Yes
Washing Temperature - Sanitize	Yes

### Upper Rack

Fold-Down	No
Maximum Height Clearance	10 63/100"
Rack Coating	Nylon
Rack Type	Standard

### Exterior

Door and Handle Design	Wide Pocket
Door Latch	Pull
Door Type	Standard

### Electrical Specifications

Amps @ 120 Volts	7.8 Amps
Voltage Rating	120 V

### Dishwasher Cycles

China Crystal	No
Energy Saver	Yes
Heavy	Yes
Normal	Yes
Number of Cycles	5
Quick	Yes
Rinse Only	No
Sanitize	Yes

### Lower Rack

Fold-Down	Yes
Minimum Height Clearance	12 3/5"
Number of Silverware Basket	1
Rack Coating	Nylon
Rack Type	Standard

### Controls

Control Color	Stainless Steel
Control Location	Top
Delay Start Hours	1-24 Hours
Digital Display	Yes

### Dimensions and Volume

Minimum Height	33 7/10"
Maximum Height	35"
Width	23 5/8"
Depth	22 11/16"
Depth With Door Open	46 3/4"

### Installation

Number of Leveling Legs	3
-------------------------	---

### Performance Certifications and Approvals

CEE Tier	Tier 1
ENERGY STAR Certified	Yes

24" Dishwasher

Dishwasher

Available Products: FDHP4336AS

Available Colors: Stainless Steel

Version: 09/24

### General Specifications

Sound Level	49 dBA
Annual Energy	240 kWh
Prop 65 Label	Yes
Warranty - Labor	1 Year
Warranty - Parts	1 Year

### Safety Certifications and Approvals

cUL Listed	Yes
ETL Listed	Yes
Meets ASSE 1006 Requirements	Yes
NSF Certified	Yes
UL Listed	Yes


## Installation Diagram

### Enclosure dimensions

#### NOTE


This dishwasher is designed to be enclosed on the top and on both sides by a standard residential kitchen cabinet unit. The installation enclosure must be clean and free of any obstructions.

The enclosure must be at least 23.8 inches wide 22.8 inches deep and 34 inches high. For the front door of the dishwasher to be flush with the leading edge of the counter top, the counter top must be at least 23 inches deep.



\* Make sure water line, wires and drain hose are within the shaded area.

### Product dimensions



#### NOTE

Water supply line, power cable and drain hose will run through the bottom channels from the back to the front connections.