



717 Tattered Barnbo

	US Units	Metric Units
<b>Style Number</b>	<b>2031V</b>	
<b>Construction</b>	SPC	
<b>Profile</b>	Click	
<b>Size</b>	7" x 48"	17.78 cm x 121.92 cm
<b>Overall Thickness</b>	0.173"	4.4 mm
<b>Wear Layer Thickness</b>	6 mil (0.006")	0.2 mm
<b>Attached Underlayment</b>	EVA Pad	
<b>Attached Underlayment Thickness</b>	0.039"	1 mm
<b>Finish</b>	ArmourBead®	
<b>Edge Description</b>	Square	
<b>Area per Carton</b>	27.73 sq ft	2.58 sq m
<b>Area per Pallet</b>	1525.15 sq ft	141.69 sq m
<b>Installation</b>	Floating	
<b>Installation Grade</b>	Above, On, Below	
<b>Residential Warranty</b>	Lifetime <a href="#">Residential Resilient Limited Warranty - Defects, Wear, Waterproof, Petproof</a>	
<b>Commercial Warranty</b>	7 Year Light Commercial	

## Features

Impact Plus features timeless visuals in classic oak, mahogany and rustic barnboard looks that mimic natural hardwood. It is 100% waterproof for a durable, high performance floor.

## Colors






## Suggested Adhesive

**Style Name**

**Style Number**

Shaw T-180 (4 gal)

## Coordinating Trim



**Baby Threshold\***

**T-Molding\***

**Multi-Purpose Reducer**

**Quarter Round**

**Overlap Stairnose\***

**Flush Stairnose**

BT3HS | 94"

VHTMD | 94"

VHMPPR | 94"

VHQTR | 94"



VHSTR | 94"

VFSN4 | 94"

VSBT2 | 94"

\*Packaged with molding track

## Coordinating Metal Trim



**Finish**

**Reducer**

**T-Mold**

**Stair Cap**

**Satin Silver**

143SA

146SA

140SA

**Satin Nickel**

144SA

147SA

141SA

**Dark Bronze**

145SA

142SA

## Installation Range

**Profile Size**

**Installation Range**

3.5mm

1.5mm to 3.5mm heights

5.5mm

3.6mm to 5.5mm heights

8mm

6mm to 8mm heights

**TREADZ®**



**Center**

LVCTR

**Right**

LVCAR

**Left**

LVCAL

**White Riser**

LWVRI\*

\*packages of 3