

48 inch Dual Fuel Range, 6 Burners and Griddle, Electric Oven Master Series

\$ Websolute.BOM.FrontEnd.Core.Extensions.DocExtension+PrezzoAndShop



MAS486GDFMNEV

The new Bertazzoni ranges are superb cooking appliances designed, engineered and made in Italy. All Bertazzoni appliances integrate seamlessly into style-harmonized suites for a true, high-performing kitchen.

The high-efficiency maintop with 6 burners and electric griddle features 2 dual ring 19,000 BTU power-burners that boil water in under 6 minutes (best in class), and 4 additional MonoBloc burners of variable size and power to suit every style of cooking, with delicate simmer at 750 BTUs. The stainless steel griddle with integrated cover provides additional cooking options.

The 4.7 cubic feet oven is the largest in its class, with dual convection fan for balanced airflow and even temperature baking and roasting on 7 shelf levels. The elegant large temperature gauge monitors the actual temperature in the oven. The extra wide electric broiler with optional convection is ideal for grilling and searing at high heat. The 2.4 cubic feet auxiliary oven is perfect for smaller dishes and for warming. Both ovens include convenient soft-motion doors. The edge-to-edge interior oven glass door maximizes interior volume and can be wiped clean without effort.

Optional **Collezione Metalli** décor sets knobs and handles are available in contrasting metals - satin gold and black nickel to personalize these accent style elements on your range, as well as all refrigerators and dishwashers in your kitchen suite.

All Bertazzoni appliances are covered by a 2-year warranty.

[Guarda online](#)

Specifications

Features

Worktop

Size	48 in
Cooking zones	7
Number of gas zones	6 burners
Griddle zones	electric
Worktop type	electric / gas
Worktop design	stainless steel squared
Worktop controls	knobs
Knobs	solid metal
Burner type	aluminum
Grates	cast iron
Continous grating	yes
Thermocouple safety device	yes
One-hand ignition	yes
Backguard	yes
Wok ring	yes
Simmer ring	yes

Cooking zones

Power burners	1300 BTU/h - 19 000 BTU/h (2)
Rapid burner	2500 BTU/h - 10 400 BTU/h (1)
Medium burner	1500 BTU/h - 5900 BTU/h (2)
Simmer burner	750 BTU/h - 3500 BTU/h (1)
Griddle power	1100 W
Griddle dual control	yes
Griddle drip tray	yes

Oven cavity

Oven configuration	double
Oven fuel	electric

Oven convection system	dual horizontal fans
Main oven type	electric multifunction
Main oven broiler type	electric
Main oven functions	bake / broiler / convection / convection bake / convection broiler / dehydrate / pizza / proofing / warming
Main oven volume	4.7 ft ³
Auxiliary oven type	electric conventional
Auxiliary oven broiler type	electric
Auxiliary oven functions	bake / bottom bake / broiler / upper bake
Auxiliary oven volume	2.4 ft ³
Oven controls	knobs
Inner oven door	triple
Removable inner glass	yes
Cooling fan	yes
Oven levels	7
Door hinges	soft-motion
Wire-shelves	2 standard with handle
Tray	1 baking tray with grill trivet
Grill trivet for tray	yes
Oven lights	double lateral

Bottom

Legs	stainless steel
------	-----------------

Technical specifications

Absorbed current (A)	40 A with dedicated circuit
----------------------	-----------------------------

Electrical supply	120/240V 60 Hz - 6700W 120/208V 60 Hz - 5400W
-------------------	--

Dimensions

FRONT VIEW

