



717 Tattered Barnbo

	US Units	Metric Units
Style Number	2031V	
Construction	SPC	
Profile	Click	
Size	7" x 48"	17.78 cm x 121.92 cm
Overall Thickness	0.173"	4.4 mm
Wear Layer Thickness	6 mil (0.006")	0.2 mm
Attached Underlayment	EVA Pad	
Attached Underlayment Thickness	0.039"	1 mm
Finish	ArmourBead®	
Edge Description	Square	
Area per Carton	27.73 sq ft	2.58 sq m
Area per Pallet	1525.15 sq ft	141.69 sq m
Installation	Floating	
Installation Grade	Above, On, Below	
Residential Warranty	Lifetime	
	Residential Resilient Limited Warranty - Defects, Wear, Waterproof, Petproof	
Commercial Warranty	7 Year Light Commercial	

Features

Impact Plus features timeless visuals in classic oak, mahogany and rustic barnboard looks that mimic natural hardwood. It is 100% waterproof for a durable, high performance floor.

Colors



400 Weathered Barnb




405 Whispering Wood



509 Washed Oak



604 Burmese Teak



703 Deep Mahogany



709 Modeled Oak









717 Tattered Barnbo

Suggested Adhesive




Style Name	Style Number
Shaw T-180 (4 gal)	

Coordinating Trim

					
Baby Threshold*	T-Molding*	Multi-Purpose Reducer	Quarter Round	Overlap Stairnose*	Flush Stairnose
BT3HS 94" VSBT2 94"	VHTMD 94"	VHMPR 94"	VHQTR 94"	VHSTR 94"	VFSN4 94"

*Packaged with molding track

Coordinating Metal Trim

			
Finish	Reducer	T-Mold	Stair Cap
Satin Silver	143SA	146SA	140SA
Satin Nickel	144SA	147SA	141SA
Dark Bronze	145SA	142SA	

Installation Range

Profile Size	Installation Range
3.5mm	1.5mm to 3.5mm heights
5.5mm	3.6mm to 5.5mm heights
8mm	6mm to 8mm heights



TREADZ®

Center	LVCTR
Right	LVCAR
Left	LVCAL
White Riser	LVWRI*

*packages of 3