



7052 Clay

	US Units	Metric Units
<b>Style Number</b>	<b>1022V</b>	
<b>Construction</b>	SPC	
<b>Profile</b>	Fold-N-Tap	
<b>Size</b>	12" x 24"	30.48 cm x 60.96 cm
<b>Overall Thickness</b>	0.217"	5.5 mm
<b>Wear Layer Thickness</b>	20 mil (0.02")	0.5 mm
<b>Attached Underlayment</b>	EVA Pad	
<b>Attached Underlayment Thickness</b>	0.059"	1.5 mm
<b>Finish</b>	ScuffResist	
<b>Edge Description</b>	Accent Bevel	
<b>Area per Carton</b>	15.83 sq ft	1.47 sq m
<b>Area per Pallet</b>	1139.76 sq ft	105.89 sq m
<b>Installation</b>	Floating	
<b>Installation Grade</b>	Above, On, Below	
<b>Color Variation</b>	Yes	
<b>Residential Warranty</b>	Lifetime <a href="#">Residential Resilient Limited Warranty - Defects, Wear, Waterproof, Petproof</a>	
<b>Commercial Warranty</b>	10 Year Light Commercial	

## Features

Paragon Tile Plus features 100% waterproof 12" x 24" tiles built to endure stains, scuffs, spills and dents from high traffic and extreme conditions. Plus, it save you time and money on easy installation with no messy grout, adhesives or subfloor prep —simply install and live on in the same day. All Paragon Tile Plus styles come with ScufResist Platinum® finish and attached Soft Silence® acoustical pad.

## Colors








## Suggested Adhesive

**Style Name**

**Style Number**

Shaw T-180 (4 gal)

## Coordinating Trim



**Baby Threshold\***

BT3HS | 94"


VSBTH | 94"



**T-Molding\***

TM3HS | 94"

VSTM6 | 94"



**Multi-Purpose Reducer**

VSMP6 | 94"



**Quarter Round**

VSQT6 | 94"





**Flush Stairnose**

VFSN1 | 94"

\*Packaged with molding track

## Coordinating Metal Trim



Finish	Reducer	T-Mold	Stair Cap
Satin Silver	143SA	146SA	140SA
Satin Nickel	144SA	147SA	141SA
Dark Bronze	145SA	142SA	

## Installation Range

Profile Size	Installation Range
3.5mm	1.5mm to 3.5mm heights
5.5mm	3.6mm to 5.5mm heights
8mm	6mm to 8mm heights

### TREADZ®



- Center
- Right
- Left
- White Riser \*

\*packages of 3