DRYER PROGRAMS

Dryer Programs	No. of Dryer Options	Dryer Options
Air Dry (Manual Dry), Perm Press, Delicates, Heavy Duty, Normal	2	Control Lock, Energy Saver
Manual Dry Times	Temperature Settings	
60, 40, 20 min	High, Medium, Low	
	Air Dry (Manual Dry), Perm Press, Delicates, Heavy Duty, Normal Manual Dry Times	Air Dry (Manual Dry), Perm Press, Delicates, Heavy Duty, Normal Manual Dry Times Temperature Settings

LAUNDRY APPLIANCE CAPACITY

Capacity		
7.3 cu ft		

SUMMARY

Matching Washer	Product Color	EasyLoad® Door	Dial-A-Cycle™
WT6105CM	Monochrome Grey (M)	No	Yes
Electronic Control Panel with LED Display	Series	Steam	Туре
Yes	LG	No	Rear Control Top Load Dryer

ENERGY

CEF	ENERGY STAR® Certified	
3.94	Yes	

^ FABRIC CARE FEATURES

LAUNDRY APPLIANCE CONVENIENCE FEATURES				
3 Minute Installation Check	4 Adjustable Legs	Control Lock	Drum Light	
Yes	Yes	Yes	No	
End of Cycle Signal	Wrinkle Care Option	Remaining Time Display/Status Indicator(s)	Reversible Door	
Yes	No	Yes	Yes	
FlowSense™ Duct Clogging Indicator	LoDecibel™ Quiet Operation	Vent Type	Venting Option	
Yes	Yes	Vented	Electric: 4 Way Venting	
↑ LAUNDRY APPLIANCE THINQ® SMART FEATURES				
Remote Start and Cycle Monitor	SmartDiagnosis™	ThinQ Care™	Wifi	
No	Yes	No	Yes	
↑ MATERIALS AND FINISHES				
All Available Colors	Aluminized Alloy Steel Drum	Cabinet	Door / Rim	
			P	

Painted Steel

Solid / Black

POWER SOURCE

White (W) / Monochrome Grey (M)

Drum Rear

Painted

Precise Temperature Control with Variable He Sensor Dry

Yes

Yes

No

NeveRust™ Stainless Steel Drum

Yes

^	OPTIONS/ACCESSORIES	
LP Conv	ersion Kit	Side Venting Kit
		3
N/A		383EEL9001B
14/7		30322230018
	DIMENICIONIC	
^	DIMENSIONS	

Dryer BTU Rating

Product (WxHxD)

with door open)

27" x 44 1/2" x 29 1/2" (50 1/4" D

Elec : N/A

WARRANTY & UPC

29" x 46 1/2" x 31 3/8"

Carton (WxHxD)

Dryer Power Source Type

Electric

Dryer Electrical Requirements

240V, 26Amps

Weight (Carton)

121.6 lbs

Ratings

CSA Listed

Weight (Product)

111.3 lbs

Drum	Parts and Labor	UPC	
3 Years	1 Year	195174067468	